



BS DECLARATION OF CONFORMITY

(System 1)

Issue No: NRG-EED-001

Teamframes Ltd
26-36 Hawthorn Road
Eastbourne
East Sussex BN23 6QA

This document declares that the product:

Liniar – Platinum NRG Emergency Exit Door

**External pedestrian doorset for domestic and commercial buildings – emergency exit use
Conforming to BS EN 14351-1:2006+A2:2016 Annex ZA**

Essential Characteristics	Performance	Test Standards	Test Source Data
Watertightness	NPD	BS EN 1027	¹ Build Check (UKAS 4044) Report: CU14184-3 ² BM Trada (UKAS 1762) Notified Body No. 1224 Certificate No. 010
Dangerous substances	None	BS EN 14351-1: 2006+A2:2016	
Resistance to wind load	NPD	BS EN 12211	
Impact resistance	NPD	BS EN 13049	
Load-bearing capacity of safety devices	Not fitted	BS EN 948	
Height & Width (mm)	NPD	BS EN 14351-1 2006+A2:2016	
Ability to release ²	Compliance	BS EN 179 & BS EN 1125	
Acoustic performance	NPD	BS EN ISO 140-3	
Thermal transmittance ¹	1.8 W/m ² .k	EN ISO 10077-1 EN ISO 10077-2 EN ISO 12567-1 prEN 12567-2	
Radiation properties	NPD	EN 410	
Air permeability	NPD	BS EN 1026	

This declaration of performance is issued under the sole responsibility of Whiteline Manufacturing Ltd.

Signed on behalf of Whiteline Manufacturing Ltd:

Signature:

Name and Position: Joel Ufton – Managing Director

Date of Issue: 17 May 2022